



LAURELS



M O O D B O A R D

X

DECOR FAN SEA
WWW.DECORFANSEA.COM

X

FIN6

#DECORFANTASEA2018 X SCANDI FANS

D E C O R F A N S E R I E S

M O O D B O A R D

DECOR FAN SEA
WWW.DECORFANSEA.COM

X

P2RL

#DECORFANTASEA2018 X SCANDI FANS

P 2 **R L**

DECOR FAN SEA
WWW.DECORFANSEA.COM

X

AE33

#DECORFANTASEA2018 X MODERN FANS



DECOR FAN SEA
WWW.DECORFANSEA.COM



Intro

DECOR FAN
FOR
EVERY HOME.

Catering to a wide variety of custom ventilation solutions suited for commercial, residential and industrial projects, Decor Fan SEA serves as a platform offering the widest variety of decorative fans for living sanctuaries. We provide a sweet spot between the functionality of a ceiling fan's ventilation effect, while complementing your individual decor characteristics.

Through strategic alliances with international organizations over our growth, we emphasize heavily on consistent research and development efforts, facilitating the implementation of timeless aesthetics of our décor fans which we pride upon.

#As Seen On




Lookboxliving.com.sg

D Laurels:

Meet our modern ceiling fans that sculpt technology into an equation of everyday practicality and performance. While emphasizing on quality and functionality with its active energy-saving modes and light switching :ED technology, RL series have their blades designed slender and bent like a bow - akin to a blooming flower.



D Laurels




With coors from the monochrome scheme - sleek black and matte white, the modernists will find the perfect fan to balance out the Ying and Yanag of the home. For the adventurous souls, explore our customizable options to give it a fresh new look. Let us reinvent the fans with you to explore the materials and designs you've never seen before.

apt & L. Butlet



D LAURELS-SERIES



SPECIFICATION

SIZE : 46" (1168)

COLOR OPTIONS : BLACK, WHITE

DC POWER RPM RANGE : <300 RPM

ENERGY RATING (W) : <35W (EST)

HEIGHT (MM)

STANDARD : <350MM (EST)

RECCOMENDED INSTALL HEIGHT (MM)

2550 MM - 3500 MM

EXTENDED HEIGHT OPTION

153MM - >2438MM (EST)

INSTALLATION RECCOMENDATION

CONCRETE/ FALSE CEILING WITH SUPPORT/ BEAM ETC.

MATERIAL SPECIFICATION

ALUMINIUM COMPOSITE MATERIAL

LIGHT OPTION

LED 3-WAY OPTION : 18W

MOUNTING TYPE

SAFETY WIRE BRACKET SYSTEM (SINGAPORE USE)

POWER RATION (V)

200-230V / 50-60HZ (SINGAPORE USE)

WINDFLOW CAPACITY (CFM)

3000-6000 CFM (EST)

SOUND LEVEL

<40DB

AREA USAGE

INDOOR/ COVERED OUTDOOR USE



2 Years Parts 1 Year Service in Singapore



Model | **BORL** - BLDW - 42 Inch
BORL-42-BLDW-WD-RC6-NLO

BORL



Model | **BORL** - WHDW - 42 Inch
BORL-42-WHDW-WD-RC6-NLO

BORL



Model | **BORL** - BLDW - 42 Inch - L3D
BORL-42-BLDW-WD-RC6-L3D

BORL



Model | **BORL** - WHDW - 42 Inch - L3D
BORL-42-WHDW-WD-RC6-L3D

BORL



Model | **BORL** - BLDW - 52 Inch
BORL-52-BLDW-WD-RC6-NLO

BORL



Model | **BORL** - WHDW - 52 Inch
BORL-52-WHDW-WD-RC6-NLO

BORL



Model | **BORL** - BLDW - 52 Inch - L3D
BORL-52-BLDW-WD-RC6-L3D

BORL



Model | **BORL** - WHDW - 52 Inch - L3D
BORL-52-WHDW-WD-RC6-L3D

BORL


OPRL SERIES

DECOR FAN SEA CEILING FAN - RL SERIES



Model | **OPRL** - BL - 38 Inch - L3D
OPRL-38-BLBL-PC-RC6-L3D

OPRL




Model | **OPRL** - WH - 38 Inch - L3D
OPRL-38-WHWH-PC-RC6-L3D

OPRL



Model | **OPRL** - BL - 50 Inch - L3D
OPRL-50-BLBL-PC-RC6-L3D

OPRL



Model | **OPRL** - WH - 50 Inch - L3D
OPRL-50-WHWH-PC-RC6-L3D

OPRL


TIRL SERIES

DECOR FAN SEA CEILING FAN - RL SERIES



Model | **TIRL** - BL - 42 Inch - L3D
TIRL-42-BLBL-PC-RC6-L3D

TIRL



Model | **TIRL** - WH - 42 Inch - L3D
TIRL-42-WHWH-PC-RC6-L3D


TIRL

CHRL/GERL SERIES DECOR FAN SEA CEILING FAN - RL SERIES



Model | **CHRL** - BIMO - 46 Inch - L3D
CHRL-46-BLMO-PC-RC6-L3D

CHRL



Model | **CHRL** - WHMO - 46 Inch - L3D
CHRL-46-WHMO-PC-RC6-L3D

CHRL




Model | **CHRL** - BIDO - 46 Inch - L3D
CHRL-46-BLDO-PC-RC6-L3D

CHRL




Model | **GERL** - BLDO - 46 Inch - L3D
GERL-46-BLDO-PC-RC6-L3D

GERL



Model | **GERL** - BL - 46 Inch - L3D
GERL-46-BLBL-PC-RC6-L3D

GERL



Model | **GERL** - WH - 46 Inch - L3D
GERL-46-WHWH-PC-RC6-L3D

GERL



Model | **GERL** - BLMO - 46 Inch - L3D
GERL-46-BLMO-PC-RC6-L3D

GERL



Model | **GERL** - WHMO - 46 Inch - L3D
GERL-46-WHMO-PC-RC6-L3D

GERL


P2RL SERIES

DECOR FAN SEA CEILING FAN - RL SERIES



Model | **P2RL** - BL - 46 Inch - L3D
P2RL-46-BLBL-PC-RC6-L3D

P2RL




Model | **P2RL** - BL - 46 Inch - L3D
P2RL-46-WHWH-PC-RC6-L3D

P2RL



Model | **P2RL** - BLDO - 46 Inch - L3D
P2RL-46-BLDO-PC-RC6-L3D

P2RL



Model | **P2RL** - WHMO - 46 Inch - L3D
P2RL-46-WHMO-PC-RC6-L3D

P2RL



Model | **P2RL** - BLDO - 56 Inch - L3D
P2RL-56-BLDO-PC-RC6-L3D

P2RL




Model | **P2RL** - BLMO - 46 Inch - L3D
P2RL-46-BLMO-PC-RC6-L3D

P2RL



Model | **P2RL** - BL - 56 Inch - L3D
P2RL-56-BLBL-PC-RC6-L3D

P2RL



Model | **P2RL** - WH - 56 Inch - L3D
P2RL-56-WHWH-PC-RC6-L3D

P2RL



DECOR FAN SEA

WWW.DECORFANSEA.COM